

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,329,531 B2
APPLICATION NO. : 10/734785
DATED : February 12, 2008
INVENTOR(S) : Steve Keenan

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the cover page at (74), Attorney, Agent or Firm, the printed patent incorrectly reads "...Hoffman & Baron, LLP..."; the patent should read --Hoffmann & Baron, LLP--.

At column 4, line 60, the printed patent incorrectly reads "... non-colloidal mon-polymeric" as used..."; the patent should read ----"non-colloidal mono-polymeric" as used...--.

At column 5, line 65, the printed patent incorrectly reads "...well know, the type and denier..."; the patent should read --...well known, the type and denier....--.

At column 6, line 11, the printed patent incorrectly reads "...As is well know, a vascular patch..."; the patent should read ----As is well known, a vascular patch...--.

At column 6, line 44, the printed patent incorrectly reads "...collagen and other proteinaceous..." the patent should read --...collagen and other proteinaceous derivatives....--.

Signed and Sealed this

Tenth Day of June, 2008

A handwritten signature in black ink, appearing to read "Jon W. Dudas". The signature is stylized with a large, looped initial "J" and a distinct "D" at the end.

JON W. DUDAS
Director of the United States Patent and Trademark Office